
QuickSpecs

Overview



Models

HP PS/2 Keyboard QY774AA

Introduction

Maximize usage comfort and benefit from long-life durability with the HP PS/2 Keyboard for everyday business computing and simplified maintenance.

Key Benefits

- Adjustable to 0°, 6° or 12° slopes with tilt legs to suit a variety of typing preferences.
- Built for durability and heavy usage, including a lifecycle rating up to 20 million keystrokes.
- Minimize damage from minor spills with the integrated spill-drain feature.
- Expect a faster set-up with quick and easy deployment for your IT atmosphere.

Compatibility

HP PS/2 Keyboard is compatible with HP Compag Pro 6300 All-in-One and HP Compag Elite 8300 All-in-One Business PCs.

Service and Support

Your Option Limited Warranty is a one (1) year (HP Option Limited Warranty Period) parts replacement warranty on any HP-branded or Compaq-branded options (HP Options). If your HP Option is installed in an HP Hardware Product, HP may provide warranty service either for the HP Option Limited Warranty Period or the remaining Limited Warranty Period of the HP Hardware Product in which the HP Option is being installed, whichever period is the longer but not to exceed three (3) years from the date you purchased the HP Option.



QuickSpecs

Technical Specifications

HP USB Keyboard

Physical characteristics Keys 104, 105, 106, 107, 109 layout (depending upon country)

Dimensions (L x W x H) 18.12 x 6.47 x 0.96 in (46.03 x 16.43 x 2.44 cm)

Weight 2 lb (0.9 kg) minimum

Electrical Operating voltage $+ 5VDC \pm 10\%$

Power consumption 50-mA maximum (with three LEDs ON)

System interface PS/2 6-pin mini din connector **ESD** CE level 4, 15-kV air discharge

EMI – RFI Conforms to FCC rules for a Class B computing device

Microsoft® PC 99 – 2001 Functionally compliant

Mechanical Keycaps Low-profile design

Switch actuation55-g nominal peak force with tactile feedbackSwitch life20 million keystrokes (using Hasco modified tester)

Switch type Contamination-resistant switch membrane **Key-leveling mechanisms** For all double-wide and greater-length keys

Cable length 6 ft (1.8 m)

Microsoft PC 99 - 2001 Mechanically compliant

Acoustics 43-dBA maximum sound pressure level

Environmental Operating temperature 50° to 122° F (10° to 50° C)

Non-operating -22° to 140° F (-30° to 60° C)

temperature

Operating humidity 10% to 90% (non-condensing at ambient) **Non-operating humidity** 20% to 80% (non-condensing at ambient)

Operating shock40 g, six surfacesNon-operating shock80 g, six surfacesOperating vibration2-g peak accelerationNon-operating vibration4-g peak acceleration

Drop (out of box) 26 in (66 cm) on carpet, six-drop sequence **Drop** (in box) 30 in (76.2 cm) on concrete, 16-drop sequence

Operating system support Windows 8 Pro, Windows 8, Windows 7, Windows 7 Professional, Windows Vista Business 64*, Windows

Vista Business 32*, Windows Vista Home Basic 32*, Windows 2000, Windows XP Professional or Windows XP Home 32* (No driver is required for this device. Native support is provided by the operating system.)

* Certain Windows Vista product features require advanced or additional hardware. Windows Vista Upgrade Advisor can help you determine which features of Windows Vista will run on your computer. To download the tool, visit http://www.windowsvista.com/upgradeadvisor. For Windows Vista system requirements, visit http://www.windowsvista.com/systemrequirements.

Approvals UL, CSA, FCC, CE Mark, TUV, TUV GS, VCCI, BSMI, C-Tick, KC

Ergonomic compliance ANSI HFS 100, ISO 9241-4, and TUVGS

Kit contents Keyboard, keyboard software media, installation guide, warranty card, safety and comfort guide

QuickSpecs

Technical Specifications

© Copyright 2013 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft and Windows are US registered trademarks of Microsoft Corporation

